

APPROVED

MEETING DATE 3 23 -05 INITIALS.

SPC-10 -RECEIVED APR 4 2005

UPLAND, CA W 4-25-05

PROPOSED By GITA COUNCIL

SPECIFIC PLAN FEBRUARY 2005

EXHIBITIL

TABLE OF CONTENTS

Chapter	1.0 Plan	Overview	
1.1	Intr od u		1-1
1.2	Specifi	ic Plan Objectives	1-1
1.3		t Location	1-1
1.4	Genera	al Plan Consistency	1-1
1.5	Compl	iance with the California Environmental	1-3
		y Act (CEQA)	
Chapter	2.0Land	Use	
2.1	Land U	Jse Plan	2-1
2.2	Land U	Jse Summary	2-1
Chapter	3.0Land	Use Regulations	
3.1	Genera	al Provisions	3-1
3.2	Condit	ionally Permitted Uses	3-1
3.3	Develo	pment Standards	3-1
	3.3.1	Attached Single Family Development Standards	3-2
3.4	Parking	g Requirements	3-3
	3.4.1	General Provisions	3-3
	3.4.2	Location of Parking Spaces	3-3
	3.4.3	Vehicle Access	3-3
	3.4.4	Design and Improvements	3-3
	3.4.5	Parking Ratios	3-4
Chapter	4.0Desig	n Guidelines/Requirements	
$\bar{4.1}$	Purpos	e and Intent	4-1
4.2	Attache	ed Single Family Design Guidelines/Requirements	4-1
	4.2.1	Building Facades	4-1
	4.2.2	Materials	4-2
	4.2.3	Roofs	4-2
	4.2.4	Windows	4-3
	4.2.5	Balconies and Sundecks	4-3
	4.2.6	Chimneys	4-3
	4.2.7	Gutters and Downspouts	4-4
	4.2.8	Entries	4-4
	4.2.9	Awnings	4-4
	4.2.10	Exterior Lighting	4-4
	4.2.11	Accessory Elements	4-4
	4.2.12	Non Architectural Elements	4-5

4.3	Landscape Concept	4-8
4.4	Recreational Area Concept	4-8
4.5	Walls and Fences	4-8
4.6	Signs	4-8
4.7	Lighting Concept	4-8
Chapter 5	5.0 Infrastructure, Utilities, and Public Services	
5.1	Purpose and Intent	5-1
5.2	Vehicle Circulation	5-1
5.3	Storm Drain Plan	5-1
5.4	Sewer Plan	5-1
5.5	Water Plan	5-1
5.6	Utilities	5-2
5.7	Public Services	5-2
Chanter 6	6.0 Project Phasing	
6.1	Phasing Policies	6-1
	C	~ ~
Chapter 7	7.0 Implementation and Administration	
7.1	Infrastructure and Public Services Financing	7-1
7.2	Application Processing	7-1
7.3	Specific Plan Amendments	7-2
7.4	Minor Adjustments	7-2
	I ICT OF EVITIDITS	
Exhibit	<u>LIST OF EXHIBITS</u>	T)
	Duriant I anation Man	Page
1. 2.	Project Location Map	1-4
2. 3A.	Land Use Plan	2-2
	Attached Single Family Architectural Concept- Spanish	4-6
3B.	Attached Single Family Architectural Concept- French	4-7
4.	Landscape Concept Plan	4-9
5.	Entry Design	4-10
6.	Paseos Terrical Callacter Pai	4-11
7.	Typical Collector Driveway	4-12
8.	Foothill Boulevard Detail	4-13
9.	End of Alley Treatment	4-14
10A.	Planting Concept and List	4-15
10B.	Planting Concept and List	4-16

10C.	Planting Concept and List	4-17
10D.	Planting Concept and List	4-18
11.	Recreational Area	4-19
12.	Wall and Fence Layout	4-20
13.	Sign Locations	4-21
14.	Lighting Concept	4-22
15.	Vehicle Circulation Map	6-2
16.	Proposed Storm Drain	6-3
17.	Proposed Sewer Plan	6-4
18.	Proposed Water Plan	6-5

LIST OF TABLES

Table		Page
2.2	Land Use Summary	2-1
3.3.1	Attached Single Family Residential Development Standards	3-2
3.4.5	Number of Parking Spaces Required	3-4
7.2	Approval Authority Matrix	7-2

1.1 INTRODUCTION

The Foothill Walk Specific Plan is a 4.62-acre residential development consisting of two story attached single family units and one major recreational area and concept Master Plan for adjoining lots to the west. See Section 2.2 for a summary of land uses within the project.

The purpose of the Foothill Walk Specific Plan is to provide comprehensive land use regulations for the development of the 4.62-acre site and to ensure a high quality environment. The specific plan has been prepared consistent with Government Code Section 65451 and is adopted by ordinance. Future development will be consistent with the specific plan regulations for land use, design standards, infrastructure, utilities, and public services.

1.2 SPECIFIC PLAN OBJECTIVES

The Foothill Walk Specific Plan is intended to fulfill the following objectives:

- To provide an attached single family residential development with a cohesive design among its individual components that incorporates high-level amenities typically found in planned developments such as a recreation area and extensive landscaping.
- To provide additional housing opportunities adjacent to commercial and transportation facilities.

1.3 PROJECT LOCATION

The project is located on the north side of Foothill Boulevard near the intersection of Benson Avenue. Located to the west of the project is the Cable Airport, a public-use airport. Existing uses surrounding the site include to the north are two story apartments and a mobile home park, to the east are two story commercial and two story residential, to the south is commercial, and to the west is commercial. (See Exhibit 1).

1.4 GENERAL PLAN CONSISTENCY

As required by Government Code Section 65454 the Foothill Walk Specific Plan must be consistent with the City of Upland General Plan. The City of Upland General Plan designates the site as CH- Highway Commercial. The CH general plan designation allows attached single family development and encourages using an innovative approach to providing a variety of housing alternatives along commercial corridors.

In addition, the Land Use Element of the General Plan encourages the use of a specific plan to "provide a mechanism for the consideration of variation from the baseline permitted uses, densities/intensities, and development standards for significant regional or community uses". Given its size, scope and strategic location with the City, the Foothill Walk Specific Plan meets this criteria.

The Foothill Walk Specific Plan also serves to implement the following General Plan Goals:

• Goal 1C: Create cohesive neighborhoods with compatible land use patterns

STRATEGIES

- "Designate appropriate areas to meet the demand for diverse types of housing, with properly related amenities and facilities."
- "Multi-family residential projects should, through the application of state-of-the-art site planning techniques, provide an efficient, desirable residential environment for inhabitants of the project and enrich the visual quality of the City."

The Foothill Walk Specific Plan implements this goal by providing attached single family housing in an integrated project within walking distance to commercial uses and providing common recreational areas and open space uses.

• Goal 4A: Provide for the continuation and development of sufficient land uses to serve the commercial, educational, recreational, industrial and social needs of existing residents and projected population.

STRATEGIES


- "Redesign industrial/commercial sites, or allow for adaptive reuse of industrial areas through the redesignation of land use to regional commercial or industrial/commercial mixed use designation"
- "Provide for the development of Foothill Boulevard frontages for commercial as well as residential uses subject to development standards intended to control vehicular access and improve visual quality of the thoroughfare."

The Foothill Walk Specific Plan implements this goal by allowing development of vacant and underutilized land into an attached single family development, consistent with the General Plan.

1.5 COMPLIANCE WITH THE CALIFORNIA ENVIRONMENTAL QUALITY ACT (CEQA)

Environmental documents are being prepared for the Foothill Specific Plan in accordance with CEQA to evaluate the potential environmental impacts associated with development of the project. The environmental documents are being prepared in conformance with California Public Resources Code Section 21000 et seq; California CEQA Guidelines (California Code of Regulations Title 14, Section 15000 et seq); and the rules, regulations and procedures for CEQA as adopted by the City of Upland.

All mitigation measures required in the environmental documents as certified by the City Council are hereby incorporated by reference and are applicable to the Foothill Walk Specific Plan.



VICINITY MAP

NOT TO SCALE THOMAS GUIDE MAP 601, F3

2.1 LAND USE PLAN

The Foothill Walk Specific Plan has one land use category; attached single family residential. A brief description for this designation follows:


• Residential: Allows for attached single family housing, the maximum density allowed is 20 dwelling units per acre. Common open space/recreational facilities are included in this category and may be included in the overall acreage for purposes of calculating density. See Exhibit 2 for the official land use plan.

2.2 LAND USE SUMMARY

Table 2.2 shows a summary of land uses within the Foothill Walk Specific Plan. Residential development intensity is expressed in terms of density (the number of dwelling units per net acre, after public dedications) and the maximum number of units allowed.

Table 2.2 Land Use Summary

Land Use Designation	Acres	Maximum Residential Density Allowed Allowed Maximum Residential Units Allowed	
Residential:			
Attached Single Family			
Residential:	4.62	20.0 du/acre	92



3.1 GENERAL PROVISIONS

- A. Whenever the regulations contained herein conflict with the regulations of Article IX, Planning and Zoning of the Upland Municipal Code, the regulations contained herein shall apply.
- B. Any situations not specifically addressed by the Foothill Walk Specific Plan, including any subsequent amendments to the Plan, shall be subject to Article IX, Planning and Zoning, as long as such regulations are not in conflict with the intent and the objectives of the Foothill Walk Specific Plan as defined in Section 1.2.

3.2 CONDITIONALLY PERMITTED USES

The following uses are allowed, subject to the approval of a conditional use permit by the Planning Commission.

- a.) Attached single family housing, includes ancillary uses such as patios, swimming pools, spas and gazebos, garages, trash enclosures, leasing and recreational building and parks.
- b.) Buildings exceeding the established height limit.
- c.) Convalescent care facilities.
- d.) Day care centers and nursery schools.
- e.) Senior citizen housing developments.

3.3 DEVELOPMENT STANDARDS

The development standards for the attached single family use category are described in the following table.

3.3.1 ATTACHED SINGLE FAMILY RESIDENTIAL DEVELOPMENT STANDARDS

The development standards in Table 3.4.1 are to be used in conjunction with the attached single family design guidelines/requirements contained in Section 4.2 and Exhibits 3A and 3B.

TABLE 3.3.1 ATTACHED SINGLE FAMILY RESIDENTIAL DEVELOPMENT STANDARDS

Requirement	Standard	Notes
Minimum Lot Area	6,000 square feet	
Minimum Lot Width	100 feet	
Minimum Lot Depth	150 feet	
Lot Coverage and Minimum	Coverage by buildings and	
Unit Area	accessory structures shall not	
	exceed the balance left after	
	satisfying all yard setbacks, open	
	space, parking, and access	
	requirements.	
Minimum Floor Area per	Each dwelling unit containing	-
Dwelling Unit	one bedroom or less shall contain	
	a minimum area of 900 square	
	feet of enclosed floor area, with a	
	minimum of 200 square feet for	
	each additional bedroom	
Building Setbacks:		
Foothill Boulevard	0 feet	Measured from property line.
Adjacent to existing commercial	12 feet	Measured from property line to
and residential area to the east,		Residential Bldg.
north, and west		
Landscaped Setbacks	-	
Foothill Boulevard	57 feet	Measured from property line.
Maximum Building Height:	35 feet (2 stories)	
Minimum Building Separation:	15 feet (side to side)	
	20 feet (front to front)	

Requirement	Standard	Notes
Building Separation Encroachments:		
Open Porches, Platforms, Landings	30 inches between buildings	
Fences, Hedges, and Walls	Allowed between buildings as long as not greater than 6 feet in height	An overall fence height of 8 feet is permitted if a portion of the wall or fence is a retaining wall
Maximum Building Bulk	The maximum length of individual buildings shall not exceed 200 feet	
Common Open Space	250 square feet per unit with a minimum dimension of 20 feet x 20 feet	Recreational area may be included in on-site open space requirements
Private Outdoor Living Space	60 square feet per unit within an enclosed balcony or patio	
Landscaping	25% of the multi-family site	Recreational area may be included in landscaping requirements
Off-Street Parking:	See Section 3.4.5	

3.4 PARKING REQUIREMENTS

3.4.1 GENERAL PROVISIONS

This section shall be considered the "Master Parking Requirements" for the Foothill Walk Specific Plan. This section shall take precedence over the design and parking space requirements of the various zoning chapters of Article IX of the Upland Municipal Code.

3.4.2 LOCATION OF PARKING SPACES

All required parking spaces shall be located on-site and not within the landscape setback along Foothill Boulevard.

3.4.3 VEHICLE ACCESS

Access to the project site parking areas shall be from a dedicated and improved street. Interior access may be allowed via private streets, and driveways.

3.4.4 DESIGN AND IMPROVEMENTS

All parking areas shall be surfaced with or paved with asphalt concrete, concrete, or other surface approved by the City Public Works Department, and shall thereafter be maintained in good condition. Parking stalls and access lanes shall be clearly defined by striping and directional arrows.

3.4.5 PARKING RATIOS

TABLE 3.4.5 NUMBER OF PARKING SPACES REQUIRED

	" T'			
Use	Number of Spaces	Notes		
Attached Single Family	2BR: 2.0 spaces/unit	2.0 spaces/unit to be provided in		
1	3BR: 2.0 spaces/unit	a garage		
	Guest: 0.5 spaces/unit			
Stall Sizes-Residential	9 Feet x 18 feet (standard)	Stall sizes includes- 2 foot		
	10 feet x 23 feet (parallel)	overhang		

4.1 PURPOSE AND INTENT

The purpose of this Section is to ensure that all development within the Foothill Walk Specific Plan will conform to high standards of design quality. The following guidelines/requirements seek to establish a design framework for the entire project. They are intended to guide and inform to the same extent that they may require or restrict.

The architectural concept for the Foothill Walk Specific Plan is defined as "Spanish and French" (such as, but not limited to Spanish Colonial, Monterey, Santa Barbara, Mission, Tudor, and European Cottage). Section 4.2 provides guidelines and requirements for attached single family development.

4.2 ATTACHED SINGLE FAMILY DESIGN GUIDELINES/REQUIREMENTS

The attached single family residences within Foothill Walk are envisioned as groupings of buildings two stories in height with attached enclosed garages. Primary access is proposed along Foothill Boulevard. A secondary access road will connect to the existing two story residential neighborhood to the east. Buildings are located in close access to the one major recreational area and two minor recreational areas. The following design guidelines are intended to create a cohesive community through architecture, landscaping, and site planning. Exhibits 3A and 3B provide a graphic example incorporating the guidelines/requirements into a project.

4.2.1 BUILDING FACADES

Building Form

A variety of building forms shall be used to provide diversity and visual interest to the neighborhood street scene.

Establishes neighborhood pedestrian scale and adds variety to the street scene.

Boxy two-story building forms that overwhelm the street scene or paseo courtyards are not permitted. Staggered walls planes are required to create interest along the street scene and courtyards, to provide a desirable human scale, and avoid visual monotony.

Building Elevations

The attached single family residences are envisioned as groupings of homes oriented along a paseo courtyard, providing front door access to the residences, allowing the architecture of the living portion of the homes to be the prominent element of the street scene and paseo courtyards. Any building elevation that faces onto a street, private driveway or paseo courtyard is of equal importance and should be well articulated. The following criteria applies to such elevations:

- Elevations must be well detailed and articulated, incorporating building forms, masses, roof design, details and accent features that are consistent with the architectural style of the building.
- Flat two story wall planes are discouraged unless otherwise consistent with the architectural style of the building. Examples of articulation of two-story wall planes include but are not limited to:
 - 2' minimum 2nd story setback from 1st story
 - 1' minimum 2nd story cantilever over 1st story
 - Significant balcony element that projects a minimum of 2' forward of the wall plane
 - Porch with a minimum depth of 4' and a roof element that breaks the 2-story wall plane

Additionally, multi-story buildings should incorporate other height reducing elements such as large open balconies, shed roof forms, material changes, etc.

4.2.2 MATERIALS

All surface treatments or materials should be designed to appear as an integral part of the design, and not merely applied. All materials should wrap architectural elements in their entirety.

Material changes should occur at inside corners.

4.2.3 ROOFS

Variety in roof forms, ridge heights, and direction of gables is required to avoid a monotonous roofscape as viewed from neighborhood streets, open space, or any other public space.

Roof pitch should range from 4:12 to 6:12. Secondary roof elements that accentuate special features of the building's architecture may be less than 4:12 or in excess of 6:12 consistent with the architectural style.

Flat roofs are permitted if consistent with the building's architectural style. When used, flat roofs must have a parapet wall.

Roof overhangs shall be consistent with the architectural style of the building.

Roof materials shall consist of flat, barrel, or S-tiles. Metal roofs are permitted on a limited basis on feature elements such as porches, loggias, feature windows, etc. Low profile "S" tiles are not allowed.

Fascia elements should be consistent with the architectural style of the building. The use of heavy exposed wood members is encouraged for brackets, braces and other decorative elements.

Skylights and or solar panels are permitted, but should be designed as an integral part of the roof. Skylight and or solar panel framing material should be colored to match the adjoining roof. White "bubble" skylights are not permitted.

4.2.4 WINDOWS

Window details, including header, sill and trim elements should be consistent with the architectural style of the building.

Window shapes and mullion patterns should be consistent with the architectural style of the building.

The shape and size of shutters, when used, should be compatible with the window opening.

4.2.5 BALCONIES AND SUNDECKS

Balconies and sundecks, when provided, should be designed as an integral component of the building's architecture and consistent with its architectural style.

Open rails may extend to the floor of the balcony or sundeck, but each corner must have a support that extends to the full guardrail height and shall be a minimum of 18" square (or L-shape).

4.2.6 CHIMNEYS

Chimneys, when provided, should be compatible with the architecture of the building.

4.2.7 GUTTERS AND DOWNSPOUTS

Exposed gutters and downspouts, when used, should be colored to either match or complement the surface to which they are attached.

4.2.8 ENTRIES

Entries should be covered with a front porch. Entry doors may have door trim surround and articulated sidelights when compatible with the architectural style. Entries should face onto the street whenever possible.

4.2.9 AWNINGS

Awnings, when provided, should be designed as an integral part of the architecture.

Unacceptable awning treatments include metal louvers (except for Bermuda style shutters), untreated fabric, and project names, texts, or logos.

4.2.10 EXTERIOR LIGHTING

Exterior lighting fixtures should be compatible with the architectural style of the building

4.2.11 ACCESSORY ELEMENTS

Recreation Buildings

Clubhouses, recreation buildings, and other support buildings should match the architectural style and detailing of the main buildings.

Trash Enclosures

Trash enclosures should be constructed of concrete masonry units with a finish similar to other buildings in the development and have opaque metal gates and shall have walk in access.

Mail Boxes

Grouped or ganged mailboxes should be located in enclosures that provide shade and weather protection. The mailbox enclosure should integrate lighting and a trash receptacle into its design and continue the architectural character of the project. Enclosures should be located convenient to short term parking and meet federal accessibility standards.

4.2.12 NON-ARCHITECTURAL ELEMENTS

Mechanical Equipment

No mechanical equipment (air-conditioning, heating units, etc.) shall be mounted on, or attached to any pitched roof. Mechanical equipment, when mounted on flat roofs, must be completely screened by parapet walls at least as tall as the equipment being screened.

Mechanical devices such as exhaust fans, vents, and pipes shall be painted to match adjacent roof surfaces.


Ground mounted air conditioning units must be screened by walls and or landscaping at least 6" higher than the unit(s) and located away from pedestrian paths and project amenities.

Meters

Natural gas meters shall be grouped and screened by walls and or landscaping. Builders should contact the utility provider for minimum clearances.

Electrical meters shall be ganged in meter enclosures or screened by walls and or landscaping. Builders should contact the utility provider for minimum clearances.

Screen walls and electrical enclosures should be designed integral to the project's architecture.










Roof	Typical 4:12 roof pitches		
	Concrete "S" tile		
Overhangs	Gable ends have tight rakes and eaves have 12" overhang		
Exterior Materials	Stucco exterior walls- smooth to light sand finish, stucco eave details		
Structural Elements	Wood posts and stucco columns		
	Parapets		
Chimneys are sculptured stucco			
Windows	Windows are recessed on the front elevation, head and sill trim recommended		
Balconies Balconies project out over building planes to break up the front must be articulated with wrought iron details			
Details	Wrought iron or metal railings, gates, grilles, fences, etc.		
	Sculpted walls and chimneys		
	Limited use of canvas awnings		
	Gable end roof vents		

Foothill Walk Specific Plan

Exhibit 3A
Attached Single Family
Architectural Concept
Spanish









Roof	Main Roof – 5:12 to 6:12	
	Accent gables – 6:12 to 9:12	
	The lines of the roof will be simple	
_	Slate look, flat concrete tile	
Overhangs	6" to 18" eave standard and tight rake	
Exterior	The stucco will be a sand or light sand finish	
Materials	-	
Accent	Used brick appearance or field stone	
Materials		
Chimneys	Chimneys can be detailed with stucco, stone or brick veneer below, with decorative	
_	chimney caps	
Windows	Wood/ stucco trim surrounds on all windows	
	Shutters are occasionally used	
	Full grid should be on most windows	
Balconies	Small cantilevered metal or wood balconies are acceptable	
Details	Bay window elements and half-timbering on gable ends	
	Accent shutters	
	Rectangular gable end vents	
	Dormer windows	

Foothill Walk Specific Plan

Exhibit 3B
Attached Single Family
Architectural Concept
French

4.3 LANDSCAPE CONCEPT

The Landscape Concept Plan is intended to create a sense of place for the project. In order to accomplish this goal, a unifying landscape concept will be created through a plant /tree palette, streetscape, and major entry treatments for the major entry off Foothill Boulevard as well as minor entry treatments to the secondary access point. Exhibit 4, 10A, 10B, 10C and 10D provide overall concept and details of the landscape concept.

4.4 RECREATIONAL AREA CONCEPT

One recreational area is centrally located within the project. The recreational area is intended to provide active and passive recreational opportunities for residents. Exhibit 11 shows a concept for the use of recreational area.

4.5 WALLS AND FENCES

In order to provide appropriate separation and buffering between the various land uses within and adjacent to the project, a wall and fence concept plan is proposed. Exhibit 12 provides details for walls and fences. The height of walls and fences shall not exceed six (6) feet as measured from the highest adjacent grade, except that eight (8) foot high walls are allowed in certain circumstances as stipulated elsewhere in the specific plan. (See Table 3.4.1).

4.6 SIGNS

The sign program for the project is intended to provide tasteful, consistent signage. Exhibit 13 identifies the location and type of the project identification signs. Exhibit 13 supersedes the requirements set forth in Article IX, Chapter 9405 of the Upland Municipal Code as it pertains to the number and type of signs allowed.

Prior to the issuance of building permits, a comprehensive sign program will be submitted for approval by the Administrative Review Committee for the overall master development and the individual building identification signs.

4.7 LIGHTING CONCEPT

The Lighting Concept for the project provides lighting for both security and aesthetic purposes in a tasteful manner. Exhibit 14 provides details.





Exhibit 4









Exhibit 6










ENLARGED AREA



February 2005







KEY MAP NTS

PLANTING CONCEPT

The planting concept for Foothill Walk is to reinforce traditional architecture through the use of historically California sub tropical plant materials. The landscape appearance is to be lush yet integrate drought resistant plants and water conservation principals.

TREES

Albizia julibrissin Silk tree

Araucaria heterophylla Norfolk Island pine
Arbutus unedo Strawberry tree

Bauhinia blakeana Hong Kong orchid tree

Beaucarnea recuruata Ponytail palm
Brachychiton acerifolius Flame tree
Brachychiton populneus Bottle tree

Brahea armata Mexican blue palm
Brahea edulis Guadalupe palm
Calodendrum capense Cape chestnut
Cassia leptophylla Gold medallion tree

Cedrus atlantica Atlas cedar
Cercis occidentalis Western redbud

Chamaerops humilis Mediterranean fan palm Chionanthus retusus Chinese fringe tree

Chitalpa tashkentensis NCN

Chorisia speciosa Floss silk tree
Cinnamomum camphora Camphor tree

Citrus spp. Citrus
Erythrina spp. Coral tree
Eucalyptus spp. Eucalyptus
Feijoa sellowiana Pineapple guava

Geijera parviflora Australian willow Ginkgo biloba Maidenhair tree

Jacaranda mimosifolia Jacaranda Lagerstroemia indica Crape myrtle

TREES

Liriodendron tulipifera Tulip tree

Magnolia grandiflora

Magnolia soulangiana

Melaleuca quinquenervia

Olea europaea 'swan hill'

Southern magnolia

Saucer magnolia

Cajeput tree

Fruitless olive

Phoenix canariensis Canary island date palm

Phoenix roebelenii Pygmy date palm Platanus racemosa California sycamore

Podocarpus spp Paperbark tree

Prunus caroliniana Carolina laurel cherry

Punica granatum Pomegranate
Pyrus spp. Ornamental pear

Quercus spp. Oak

Rhapis excelsa Lady palm

Schinus molle
Syagrus romanzoffianum
Tabebuia impetiginosa
Washingtonia filifera
Washingtonia robusta

California pepper
Queen palm
Pink trumpet tree
California fan palm
Mexican fan palm

SHRUBS, VINES AND GROUND COVER

Abelia grandiflora 'Edward Goucher' Glossy abelia
Agapanthus orientalis Lily of the Nile

Agave spp. Agave

Ajuga reptans Carpet bugle
Anigozanthos flauidus Kangaroo paw
Bougainvillea spp. Bougainvillea
Brugmansia versicolor Angels trumpet

Brungelsia pauciflora 'floribunda' Yesterday-Today-and-Tomorrow

Buddleia davidii Butterfly bush
Calliandra spp Powder puff bush

Camellia spp Camellia

Exhibit 10B

SHRUBS, VINES AND GROUND COVER

Carissa macrocarpa

Cistus spp.

Clivia miniata

Clytostoma callestegioidesLavender

Coprosma repens 'marble queen'

Natal plum

Rockrose

Kaffir lily

trumpet vine

Mirror plant

Cordyline australis NCN
Cordyline stricta NCN

Cyathea cooperi

Delphinium elatum

Australian tree fern

Candle delphinium

Dietes spp. African iris

Distictis buccinatoria Blood red trumpet vine

Dodonaea viscosa 'purpurea' Hopseed bush Escallonia laevis Pink escalonia Ficus repens Creeping fig

Fragaria chiloensis Ornamental strawberry

Gazania 'mitsua yellow'
Gelsemium sempervirens
Grewia occidentalis

Trailing gazania
Carolina jessamine
Lavender star flower

Hemerocallis spp. Daylily

Impatiens

Kniphofia uvaria

Lavandula spp.

Lavatera thuringiaca

Ligustrum japonicum 'texanum'

Liriope muscari

Touch me not
Red hot poker
Lavender
Tree mallow
Texas privet
Big blue lily turf

Lonicera japonica 'halliana'

Halls honeysuckle

Myrtus communis Myrtle

Nandina domestica Heavenly bamboo

SHRUBS, VINES AND GROUND COVER

Ophiopogon japonicus Mondo grass Pandorea jasminoides Bowers vine Pelargonium spp. Geranium

Phormium tenax Flax

Photinia fraseri Red tipped photinia

Pittosporum tobira Mock orange Rhaphiolepis indica India hawthorn

Rosa spp. Rose

Rosmarinus officinalis Rosemary

Strelitzia nicolai Giant bird of paradise


Strelitzia reginae Bird of paradise
Tecomaria capensis Cape honeysuckle


Trachelospermum jasminoides Star jasmine

Verbena spp. NCN
Vigna caracalla Snail vine
Vinca spp. NCN

Wisteria chinensis Chinese wisteria


Xylosma congestum NCN Yucca spp Yucca





- POOL SPA SAFETY FENCING (WROUGHT IPON)
- 2 MEX OF MASONRY WALL AND VIEW FEWCE- WROUGHT IRON
- 3 VII WITINGS-WROT GHT IRON

February 2005



Signage Legend

A "Master Development" I.D. Signage

Example: Foothili Walk Types: Monument





February 2005

5.1 PURPOSE AND INTENT

The purpose of this chapter is to identify the infrastructure, utilities and public services required to serve the Foothill Walk Specific Plan. The following exhibits and text discuss infrastructure improvements for vehicle circulation, storm drains, sewer, and water. The provision of adequate utilities and public services is also discussed in the appropriate sections.

5.2 VEHICLE CIRCULATION

Exhibit 15 shows access as well as the on-site private driveways and alleys needed for internal circulation throughout the project area.

5.3 STORM DRAIN PLAN

Storm drainage improvements have been designed to convey storm water runoff from the project site without increasing flood or erosion hazards or exceeding capacity within the site. This is accomplished by constructing a series of storm drains and laterals within the internal street system to receive flows from the developed portions of the site. Streets, curbs and gutters would direct street flows into collection points, where flows would enter the storm drain. The flows would be conveyed to a downstream basin then conveyed into the main storm drain line that connects to retention basin. The storm drain improvements have been designed to be consistent with City requirements. Exhibit 16 shows details of the storm drain plan.

5.4 SEWER PLAN

Sewer service for the project will be provided the City of Upland. The project will convey sewage through on-site sewer lines and laterals which will connect to existing City of Upland sewer main adjacent to Foothill Boulevard. Exhibit 17 provides details for the sewer system

5.5 WATER PLAN

The City of Upland Water Department will provide water to serve the project. In addition to the City's water supply, supplemental water is provided by Inland Empire Utilities Agency. See Exhibit 18.

5.6 UTILITIES

- A. Electricity: Southern California Edison (SCE) provides electric service to the project area and will extend service to the project in accordance with rules and policies for extension of service on file with the California Public Utilities Commission.
- **B.** Natural Gas: The Southern California Gas Company will provide natural gas service to the project at the time contractual arrangements are made in accordance with Gas Company policies and extension rules and policies for extension of service on file with the California Public Utilities Commission.
- C. Telephone Service: Verizon provides telephone service to the project area and will extend service to the project in accordance with extension rules and policies for extension of service on file with the California Public Utilities Commission.
- **D.** Solid Waste: The City of Upland will provide solid waste collection service for the project through a franchise agreement with Burtec Waste Industries (BWI), a private refuse hauler.


5.7 PUBLIC SERVICES

- A. Fire: Fire protection services will be provided by the City of Upland Fire Department. Fire Station 163, located at Benson Avenue and 13th Street is the primary station serving the area. The environmental documents for the project may require mitigation measures to ensure adequate fire protection service for the project pursuant to Section 1.5 of this document.
- **B.** Police: Police services will be provided by the City of Upland Police Department. The environmental documents for the project may require mitigation measures to ensure adequate police service for the project pursuant to Section 1.5 of this document.
- C. Schools: School services will be provided by the Upland Unified School District. The project will be served by the following schools; Cabrillo Elementary School; Upland Junior High School; and Upland High School. Pursuant to Government Code Section 65995, the project will be required to offset impacts to the school system by paying a mandatory fee per square foot of residential buildings.
- E. Libraries: Library services will be provided by the Upland Public Library. The environmental documents for the project may require mitigation measures to ensure adequate library service for the project pursuant to Section 1.5 of this document.

6.1 PHASING POLICIES


The following policies are intended to ensure that the Foothill Walk Specific Plan, if developed in phases, provides the essential infrastructure and services to support each phase of development.


- All new development must provide the appropriate level of services and utilities to adequately serve the proposed uses for each phase of development. Confirmation of adequate facilities shall be provided prior to the issuance of building permits.
- To the maximum extent feasible, all backbone infrastructure for sewer, water, drainage facilities, and street improvements for Foothill Boulevard shall be provided for the entire project in the first phase of development.
- Temporary, on-site private driveways may be allowed subject to the approval of the Engineering Department.
- All undeveloped portions of the site shall be maintained in a weed free condition.
 Hydroseeding and temporary irrigation systems may be required at the discretion of the Community Development Director.






Foothill Walk Specific Plan





February 2005



7.1 INFRASTRUCTURE AND PUBLIC SERVICE FINANCING

Pursuant to Government Code Section 65451 (a)(4), the following describes the financing measures or programs necessary to finance the infrastructure and service requirements to support the Foothill Walk Specific Plan.

- A. Infrastructure: The infrastructure improvements, including the backbone systems for vehicle circulation, storm drains, sewer, water and utilities will be funded entirely by the developer of the project, or the City and developer in concert with each other may form a special financing district for the sole purpose of funding the backbone infrastructure. The developer will also be required to pay any applicable fees to the City of Upland Water Department, Inland Empire Utilities Agencies, or other agencies if required for connection and/or capacity expansion fees (or other similar fees). The City of Upland will ensure that adequate facilities are available to serve the project prior to the issuance of an occupancy permit for any portion of the project consistent with the phasing policies described in Chapter 6.0.
- **B. Public Services:** Consistent with the City of Upland's requirements or mitigation measures identified in the Environmental Impact Report, the project developer will be required to pay fees or contribute to public service facilities on a pro rata share based on the project impacts to public services. Confirmation that the project has met it's fair share contribution to public services shall be required prior to the issuance of an building permit or occupancy permit, as determined by the Community Development Director. In addition, to any fees that may be required, sales taxes and hotel occupancy taxes generated by the project will augment the City's general fund in order to provide public services.

7.2 APPLICATION PROCESSING

The Application Processing Section is intended to provide the regulatory framework (design standards, allowable uses, etc.) for any subsequent entitlements that may be required as identified in Table 7.2. This also includes review of requests for future uses that may occupy buildings on the site. All applications shall be processed pursuant to the applicable provisions of Article IX, Planning and Zoning, of the Upland Municipal Code.

February 2005 7-1

Table 7.2. Approval Authority Matrix

TYPE OF ACTION	ADMINISTRATIVE REVIEW COMMITTEE	PLANNING COMMISSION	CITY COUNCIL	Notes
Conditional		X		
Use Permits				
Environmental	X		,	
Review				
Extensions of	X			
Time				
Lot Line	X			<u> </u>
Adjustments				
Site Plans	X			
Specific Plan		ADVISORY	X	See Section 7.3
Amendments				
Specific Plan	X			See Section 7.4
Minor				
Adjustments				
Tentative		X		
Parcel Maps				
Tentative Tract		X		
Maps				
Variances		X		

7.3 SPECIFIC PLAN AMENDMENTS

The following changes require an amendment to the Foothill Walk Specific Plan.

- A. Increase in the intensity/ density of development as described in Table 2.2.
- B. Any boundary adjustments to project area or land use categories as shown in Exhibit 2.

7.4 MINOR ADJUSTMENTS

In order to provide flexibility to the project review process, the Administrative Review Committee, without a public hearing, may approve the following. The Administrative Review Committee may at its discretion, refer any of these actions to the Planning Commission and/or City Council.

- A. Changes to infrastructure plans identified in Sections 5.1 5.5 and Exhibits 15 -18.
- B. Project is within 10% of a development standard for yards and setbacks.
- C. Changes to Section 4.3 to require installation of water-conserving irrigation systems and drought-tolerant plant materials in non-turf areas.

Foothill Walk Specific Plan